



90

08/1984 - 08/1987








1 61034




1 61034



2 61082



UPPER




2 61082






2 61082



LOWER



2 61082



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	61034	tie rod end	89 24 177	c:13 th:FM14X2R	2	61082	ball joint	89 93 321	c:17.2





93 / 95 / 96

10/1965 - 08/1980





1 61080



1 61080

Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	61080	ball joint	73 72 170	c:20					

99					11/1967 - 01/1987				
									
					01/1974 ->				
 161034					 161034				
 261082									
									
					 261082				
Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	61034	tie rod end	89 24 177	c:13 th:FM14X2R	2	61082	ball joint	89 93 321	c:17.2



900 I

01/1979 - 12/1993





1 61034



1 61034



2 61082






2 61082

Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	61034	tie rod end	89 24 177	c:13 th:FM14X2R	2	61082	ball joint	89 93 321	c:17.2

900 II


07/1993 - 02/1998



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	861803	stabiliser mounting	45 43 518	di:21.5	11	9836 ASSY	tie rod left	42 42 673 S1	c:13
2	9866	stabiliser link with kit	30 540 743	L:87	12	9837 ASSY	tie rod right	42 42 681 S1	c:13
3	9860	stabiliser link	45 44 599	L:83	13	61070	TCA left wbj	45 43 450	c:13.5
4	9861	stabiliser link with kit	45 44 599	L:84	14	61071	TCA right wbj	45 43 468	c:13.5
5	809828	stabiliser mounting	42 46 112	di:8.5	15	861607	silentblock for TCA	Part of	di:12.2 do:38.2 (*)
6	9836	tie rod end left	42 42 749	c:13 th:FM16X2R	16	861606	silentblock for TCA + ring	45 45 711	di:12.2 do:58.4 (*)
7	9837	tie rod end right	42 42 756	c:13 th:FM16X2L	17	61074	TCA left wobj	46 47 004	L:425
8	9836 D	adjusting bolt	42 42 731	L:105	18	61075	TCA right wobj	46 47 012	L:425
9	9838	axial joint	42 42 673	th:FM16X2L	19	861608	silentblock for TCA	44 82 402	di:16.2 do:50.5 (*)
10	9839	axial joint	42 42 681	th:FM16X2					

9000



04/1985 - 12/1998



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	61060	stabiliser link	89 58 944	L:56	5	861601	silentblock for TCA	89 61 476	di:10.2 do:34 (*)
2	61037	axial joint	89 62 250	th:FM14X1.5R L:305	6	861611	silentblock support	44 26 003	di:21 do:36 (*)
3	61036	tie rod end	89 93 453	c:13 th:FM14x1.5R	7	861602	silentblock for TCA	89 65 253	di:19.1 (*)
4	61088	TCA left wbj	89 58 365	c:16	8	61084	ball joint	89 94 212	c:20

9-3 (YS3D)






02/1998 - 09/2002



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	861803	stabiliser mounting	45 43 518	di:21.5	11	9836 ASSY	tie rod left	42 42 673 S1	c:13
2	861805	stabiliser mounting	49 05 832	di:25.5	12	9837 ASSY	tie rod right	42 42 681 S1	c:13
3	9860	stabiliser link	45 44 599	L:83	13	61070	TCA left wbj	45 43 450	c:13.5
4	9861	stabiliser link with kit	45 44 599	L:84	14	61071	TCA right wbj	45 43 468	c:13.5
5	809828	stabiliser mounting	42 46 112	di:8.5	15	861607	silentblock for TCA	Part of	di:12.2 do:38.2 (*)
6	9836	tie rod end left	42 42 749	c:13 th:FM16X2R	16	861606	silentblock for TCA + ring	45 45 711	di:12.2 do:58.4 (*)
7	9837	tie rod end right	42 42 756	c:13 th:FM16X2L	17	61074	TCA left wobj	46 47 004	L:425
8	9836 D	adjusting bolt	42 42 731	L:105	18	61075	TCA right wobj	46 47 012	L:425
9	9838	axial joint	42 42 673	th:FM16X2L	19	861608	silentblock for TCA	44 82 402	di:16.2 do:50.5 (*)
10	9839	axial joint	42 42 681	th:FM16X2					

9-3 (YS3F)




10/2002 - 02/2015



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	809804	stabiliser mounting	35 01 48	di:22	9	309.133	steering rack gaiter	93 191 675	D:56 d:14 L:218
2	809803	stabiliser mounting	91 91 188	di:23	10	9014	axial joint	93 191 672	th:MM18X1.5R L:284
3	9863	stabiliser link	35 06 15	L:352	11	9018	axial joint	93 191 674	th:MM18x1.5R L:286
4	809400	strut mount	12 782 216	di:15 do:154.5 L:39	12	309.138	steering rack gaiter	12 802 043	D:54 d:14 L:190
5	809415	bearing	13 270 705	di:74 do:114.5 L:33	13	9214	axial joint	12 804 238	th:MM14x1.5R L:295
6	809401 KIT	strut mount kit	12 782 216 S1	di:15 do:154.5	14	309.139	steering rack gaiter	93 194 528	D:52 d:13.5 L:185
7	9048	tie rod end left	52 39 314	c:12.3 th:FM14X1.5R	15	9215	axial joint	93 194 523	th:MM16x1.5R L:290
8	9049	tie rod end right	52 39 322	c:12.3 th:FM14X1.5R					

9-3 (YS3F)


10/2002 - 02/2015



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	9272	TCA left wbj	12 796 013	c:20	4	809633	silentblock for TCA	12 786 412	di:19.4 (*)
2	9273	TCA right wbj	12 796 014	c:20	5	809714	silentblock for TCA	12 756 395	di:12.1 do:70.3 (*)
3	809605	silentblock for TCA	45 66 899	di:12.2 do:36 (*)	6	861500	strut mount	12 796 037	di:10.5 do:62.2 L:42.2

9-3 (YS3F)


10/2002 - 02/2015



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	61078	track rod	12 793 813	c:13.8 L:228	8	R10082	mounting tool ring ø52 ø44	SEE PAGE III	di:44 do:52
2	61182	ball joint	Part of	c:13.8 do:40.1	9	809712	silentblock for TCA	24 469 643	di:12.1 do:45.5 (*)
3	861700	silentblock for TCA	Part of	di:11.9 do:45.5 (*)	10	809717	silentblock for TCA	Part of	di:12.1 do:35.2 (*)
4	R10081	mounting tool ring ø50 ø42	SEE PAGE III	di:42 do:50	11	9060	stabiliser link rear axle	13 104 120	L:86
5	9276	TCA	13 105 744	L:379.5	12	809903	stabiliser mounting	24 457 385	di:17
6	9084	ball joint rear	Part of	di:14.2 do:47.3	13	809904	stabiliser mounting	24 457 386	di:18
7	809713	silentblock for TCA	Part of	di:12.1 do:35.3 (*)	14	809905	stabiliser mounting	24 457 843	di:19

9-5 (YS3E)



09/1997 - 06/2010



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	861400	strut mount	52 33 366	di:14.2 L:54	10	61132	axial joint	52 35 585	th:MM16X1.5R L:287
2	9660	stabiliser link	52 36 823	L:243	11	9048	tie rod end left	52 39 314	c:12.3 th:FM14X1.5R
3	809805	stabiliser mounting	46 86 820	di:15.5	12	9049	tie rod end right	52 39 322	c:12.3 th:FM14X1.5R
4	861801	stabiliser mounting	50 59 795	di:16.5	13	61072	TCA left wbj	48 35 708	c:18
5	809806	stabiliser mounting	50 59 803	di:18	14	61073	TCA right wbj	48 35 716	c:18
6	861802	stabiliser mounting	12 781 132	di:18.5	15	61180	ball joint	52 31 683	c:18
7	309.230	steering rack gaiter	93 194 334	D:54 d:13.5 L:175	16	809605	silentblock for TCA	45 66 899	di:12.2 do:36 (*)
8	9611	axial joint	48 36 557	th:MM16X1.5R L:348	17	861609	silentblock for TCA	50 63 391	di:19.2 (*)
9	9637	tie rod end	48 36 540	c:13.4 th:FM14x1.5R					

9-5 (YS3E)


09/1997 - 06/2010



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	61076	TCA left wbj	52 36 674	c:20	8	9277	TCA	90 538 444	L:525
2	61077	TCA right wbj	52 36 682	c:20	9	809707	silentblock for TCA	45 66 378	di:12 do:35 (*)
3	61181	ball joint	52 37 516	c:20	10	9082	ball joint rear	45 67 244	di:12 do:45.1
4	809605	silentblock for TCA	45 66 899	di:12.2 do:36 (*)	11	R10080	mounting tool ring ø48 ø40	SEE PAGE III	di:40 do:48
5	861610	silentblock for TCA	52 33 374	di:19.4 (*)	12	9664	stabiliser link rear axle	49 06 111	L:80
6	809705	silentblock for TCA	52 36 633	di:13.1 do:60 (*)	13	861900	stabiliser mounting	49 06 749	di:15.5
7	9171	TCA	90 538 916	L:523	14	861901	stabiliser mounting	49 06 756	di:16

9-5 (YS3G)

05/2010 - 07/2012




Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	809815	stabiliser mounting	13 281 781	di:26	9	9133	tie rod end right	13 272 002	c:13 th:FM16X1.5R
2	9160	stabiliser link	13 219 141	L:304	10	9119	axial joint	13 271 998	th:MM16X1.5R L:248
3	9161	stabiliser link	13 258 052	L:304	11	9072	TCA left wbj	13 318 886	c:20
4	9165	stabiliser link	13 282 833	L:304	12	9073	TCA right wbj	13 318 887	c:20
5	309.135	steering rack gaiter	13 271 036	D:52 d:15.5 L:212	13	809642	silentblock for TCA	Part of	di:12.4 do:40.4 (*)
6	9040	tie rod end	13 272 000	c:13.1 th:FM16x1.5R	14	809643	silentblock for TCA + ring	13 280 216	di:22.3 (*)
7	9110	axial joint	13 271 996	th:MM18x1.5R L:307.5	15	9085	ball joint upper	13 258 056	c:17
8	9132	tie rod end left	13 272 001	c:13 th:FM16X1.5R	16	9086	ball joint	13 230 777	

9-5 (YS3G)


05/2010 - 07/2012



EXC. XWD



XWD



Ref.	Sidem Ref.	Description	OE-number	Measures	Ref.	Sidem Ref.	Description	OE-number	Measures
1	809710	silentblock for TCA	13 219 149	do:70.2 (*)	7	809709	silentblock for TCA	13 318 343	di:14.4 do:39.6 (*)
2	809716	silentblock for TCA	Part of	di:14.1 do:39.5 (*)	8	809708	silentblock for TCA	13 219 170	di:12.2 do:39.6 (*)
3	809715	silentblock for TCA	Part of	di:12.1 do:39.5 (*)	9	9162	stabiliser link rear axle	13 281 792	L:71
4	9170	track rod	13 218 171	L:202.5	10	809902	stabiliser mounting	13 281 790	di:18
5	9074	track rod	13 318 344	L:385.5	11	809911	stabiliser mounting	13 289 138	di:19
6	9075	track rod	13 318 345	L:385.5	12	809913	stabiliser mounting	13 281 791	di:22